



November 17, 2023

William Kotas
Intertek PSI
17 British American Boulevard
Latham, NY 12110

RE: Project: BRAD + ES 11/10
Pace Project No.: 70277486

Dear William Kotas:

Enclosed are the analytical results for sample(s) received by the laboratory on November 13, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Lori Beyer".

Lori A. Beyer
lori.beyer@pacelabs.com
516-370-6014
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-1		Lab ID: 70277486001	Collected: 11/10/23 08:06	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/16/23 11:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-2		Lab ID: 70277486002	Collected: 11/10/23 08:07	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-3		Lab ID: 70277486003	Collected: 11/10/23 08:09	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-4		Lab ID: 70277486004	Collected: 11/10/23 08:10	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-5		Lab ID: 70277486005	Collected: 11/10/23 08:11	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-6		Lab ID: 70277486006	Collected: 11/10/23 08:12	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-7		Lab ID: 70277486007	Collected: 11/10/23 08:15	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-8		Lab ID: 70277486008	Collected: 11/10/23 08:16	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-9		Lab ID: 70277486009	Collected: 11/10/23 08:17	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.7	ug/L	1.0	1		11/16/23 12:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-10		Lab ID: 70277486010	Collected: 11/10/23 08:18	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-11		Lab ID: 70277486011	Collected: 11/10/23 08:19	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.3	ug/L	1.0	1		11/16/23 12:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-12		Lab ID: 70277486012	Collected: 11/10/23 08:20	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-13		Lab ID: 70277486013	Collected: 11/10/23 08:22	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 12:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-20		Lab ID: 70277486014	Collected: 11/10/23 08:25	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-21		Lab ID: 70277486015	Collected: 11/10/23 08:25	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-22	Lab ID: 70277486016	Collected: 11/10/23 08:27	Received: 11/13/23 15:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/16/23 13:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-23		Lab ID: 70277486017	Collected: 11/10/23 08:27	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-24		Lab ID: 70277486018	Collected: 11/10/23 08:29	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		11/16/23 13:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-25		Lab ID: 70277486019	Collected: 11/10/23 08:30	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-26		Lab ID: 70277486020	Collected: 11/10/23 08:32	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		11/16/23 13:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-27		Lab ID: 70277486021	Collected: 11/10/23 08:32	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-28		Lab ID: 70277486022	Collected: 11/10/23 08:34	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-38		Lab ID: 70277486023	Collected: 11/10/23 08:36	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-44		Lab ID: 70277486024	Collected: 11/10/23 08:38	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-45		Lab ID: 70277486025	Collected: 11/10/23 08:41	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-47		Lab ID: 70277486026	Collected: 11/10/23 08:42	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-50		Lab ID: 70277486027	Collected: 11/10/23 08:45	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:26	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-51		Lab ID: 70277486028	Collected: 11/10/23 08:46	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-53		Lab ID: 70277486029	Collected: 11/10/23 08:48	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-54		Lab ID: 70277486030	Collected: 11/10/23 08:48	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.0	ug/L	1.0	1		11/16/23 13:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-56		Lab ID: 70277486031	Collected: 11/10/23 08:51	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		11/16/23 13:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-57		Lab ID: 70277486032	Collected: 11/10/23 08:52	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.0	ug/L	1.0	1		11/16/23 13:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-58		Lab ID: 70277486033	Collected: 11/10/23 08:54	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-59		Lab ID: 70277486034	Collected: 11/10/23 08:58	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-60		Lab ID: 70277486035	Collected: 11/10/23 09:00	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-61		Lab ID: 70277486036	Collected: 11/10/23 09:00	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	9.6	ug/L	1.0	1		11/16/23 13:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-62	Lab ID: 70277486037	Collected: 11/10/23 09:04	Received: 11/13/23 15:15	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.1	ug/L	1.0	1		11/16/23 13:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-63		Lab ID: 70277486038	Collected: 11/10/23 09:04	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		11/16/23 13:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-64		Lab ID: 70277486039	Collected: 11/10/23 09:05	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 13:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-71		Lab ID: 70277486040	Collected: 11/10/23 09:08	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	16.0	ug/L	1.0	1		11/16/23 13:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-72		Lab ID: 70277486041	Collected: 11/10/23 09:18	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	23.3	ug/L	1.0	1		11/16/23 14:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-75		Lab ID: 70277486042	Collected: 11/10/23 09:20	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	12.2	ug/L	1.0	1		11/16/23 14:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-76		Lab ID: 70277486043	Collected: 11/10/23 09:21	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	14.3	ug/L	1.0	1		11/16/23 14:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-77		Lab ID: 70277486044	Collected: 11/10/23 09:23	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-78		Lab ID: 70277486045	Collected: 11/10/23 09:23	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.6	ug/L	1.0	1		11/16/23 14:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-79		Lab ID: 70277486046	Collected: 11/10/23 09:25	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	24.9	ug/L	1.0	1		11/16/23 14:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-80		Lab ID: 70277486047	Collected: 11/10/23 09:26	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-81		Lab ID: 70277486048	Collected: 11/10/23 09:28	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-82A		Lab ID: 70277486049	Collected: 11/10/23 09:29	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-82B		Lab ID: 70277486050	Collected: 11/10/23 09:32	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-83		Lab ID: 70277486051	Collected: 11/10/23 09:33	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/16/23 14:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-84		Lab ID: 70277486052	Collected: 11/10/23 09:34	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-91		Lab ID: 70277486053	Collected: 11/10/23 09:37	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-92		Lab ID: 70277486054	Collected: 11/10/23 09:37	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-94		Lab ID: 70277486055	Collected: 11/10/23 09:39	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-95		Lab ID: 70277486056	Collected: 11/10/23 09:40	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-97		Lab ID: 70277486057	Collected: 11/10/23 09:42	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-98		Lab ID: 70277486058	Collected: 11/10/23 09:42	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-100		Lab ID: 70277486059	Collected: 11/10/23 09:44	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.9	ug/L	1.0	1		11/16/23 14:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-101		Lab ID: 70277486060	Collected: 11/10/23 09:44	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-103		Lab ID: 70277486061	Collected: 11/10/23 09:46	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.2	ug/L	1.0	1		11/16/23 14:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-104		Lab ID: 70277486062	Collected: 11/10/23 09:46	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:50	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-106		Lab ID: 70277486063	Collected: 11/10/23 09:48	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-107		Lab ID: 70277486064	Collected: 11/10/23 09:48	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-109		Lab ID: 70277486065	Collected: 11/10/23 09:50	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:57	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-110		Lab ID: 70277486066	Collected: 11/10/23 09:51	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 14:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-112		Lab ID: 70277486067	Collected: 11/10/23 09:53	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-113		Lab ID: 70277486068	Collected: 11/10/23 09:53	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-115		Lab ID: 70277486069	Collected: 11/10/23 09:55	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-116		Lab ID: 70277486070	Collected: 11/10/23 09:55	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-118		Lab ID: 70277486071	Collected: 11/10/23 09:56	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-119		Lab ID: 70277486072	Collected: 11/10/23 09:57	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-121		Lab ID: 70277486073	Collected: 11/10/23 10:00	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-122		Lab ID: 70277486074	Collected: 11/10/23 10:04	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	10.8	ug/L	1.0	1		11/16/23 15:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-123		Lab ID: 70277486075	Collected: 11/10/23 10:01	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.5	ug/L	1.0	1		11/16/23 15:25	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-124		Lab ID: 70277486076	Collected: 11/10/23 10:07	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-125		Lab ID: 70277486077	Collected: 11/10/23 10:08	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.6	ug/L	1.0	1		11/16/23 15:28	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-126		Lab ID: 70277486078	Collected: 11/10/23 10:09	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.7	ug/L	1.0	1		11/16/23 15:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-127		Lab ID: 70277486079	Collected: 11/10/23 10:10	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-128		Lab ID: 70277486080	Collected: 11/10/23 10:12	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-129		Lab ID: 70277486081	Collected: 11/10/23 10:12	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:37	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-130		Lab ID: 70277486082	Collected: 11/10/23 10:14	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-131		Lab ID: 70277486083	Collected: 11/10/23 10:14	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-132		Lab ID: 70277486084	Collected: 11/10/23 10:16	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-133		Lab ID: 70277486085	Collected: 11/10/23 10:16	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-134 Lab ID: 70277486086 Collected: 11/10/23 10:18 Received: 11/13/23 15:15 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

200.8 MET ICPMS Drinking Water Analytical Method: EPA 200.8
Pace Analytical Services - Melville

Lead	<1.0	ug/L	1.0	1		11/16/23 15:45	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-135		Lab ID: 70277486087	Collected: 11/10/23 10:19	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-136		Lab ID: 70277486088	Collected: 11/10/23 10:22	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.2	ug/L	1.0	1		11/16/23 15:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-137		Lab ID: 70277486089	Collected: 11/10/23 10:22	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.6	ug/L	1.0	1		11/16/23 15:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-138		Lab ID: 70277486090	Collected: 11/10/23 10:20	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/16/23 15:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Sample: B-148		Lab ID: 70277486091	Collected: 11/10/23 10:23	Received: 11/13/23 15:15	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.0	ug/L	1.0	1		11/16/23 15:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch: 327841

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70277486001

METHOD BLANK: 1676924

Matrix: Water

Associated Lab Samples: 70277486001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 11:10	

LABORATORY CONTROL SAMPLE: 1676925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.1	102	85-115	

MATRIX SPIKE SAMPLE: 1676927

Parameter	Units	70277514010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	29.0	50	76.5	95	70-130	

MATRIX SPIKE SAMPLE: 1676933

Parameter	Units	70277486001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	50	49.5	97	70-130	

SAMPLE DUPLICATE: 1676926

Parameter	Units	70277514010 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	29.0	29.0	0	

SAMPLE DUPLICATE: 1676932

Parameter	Units	70277486001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.3	1.2	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch:	327842	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70277486002, 70277486003, 70277486004, 70277486005, 70277486006, 70277486007, 70277486008, 70277486009, 70277486010, 70277486011		

METHOD BLANK:	1676934	Matrix:	Water
Associated Lab Samples:	70277486002, 70277486003, 70277486004, 70277486005, 70277486006, 70277486007, 70277486008, 70277486009, 70277486010, 70277486011		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 11:59	

LABORATORY CONTROL SAMPLE:	1676935					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.0	100	85-115	

MATRIX SPIKE SAMPLE:	1676937						
Parameter	Units	70277530001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.2	50	48.1	92	70-130	

MATRIX SPIKE SAMPLE:	1676939						
Parameter	Units	70277530002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.0	94	70-130	

SAMPLE DUPLICATE:	1676936					
Parameter	Units	70277530001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	2.2	2.1	1		

SAMPLE DUPLICATE:	1676938					
Parameter	Units	70277530002 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch:	327843	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70277486012, 70277486013, 70277486014, 70277486015, 70277486016, 70277486017, 70277486018, 70277486019, 70277486020, 70277486021, 70277486022, 70277486023, 70277486024, 70277486025, 70277486026, 70277486027, 70277486028, 70277486029, 70277486030, 70277486031		

METHOD BLANK:	1676940	Matrix:	Water
Associated Lab Samples:	70277486012, 70277486013, 70277486014, 70277486015, 70277486016, 70277486017, 70277486018, 70277486019, 70277486020, 70277486021, 70277486022, 70277486023, 70277486024, 70277486025, 70277486026, 70277486027, 70277486028, 70277486029, 70277486030, 70277486031		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 12:44	

LABORATORY CONTROL SAMPLE:	1676941					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.3	101	85-115	

MATRIX SPIKE SAMPLE:	1676943						
Parameter	Units	70277486012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	46.7	93	70-130	

MATRIX SPIKE SAMPLE:	1676945						
Parameter	Units	70277486013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.8	101	70-130	

SAMPLE DUPLICATE:	1676942					
Parameter	Units	70277486012 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

SAMPLE DUPLICATE:	1676944					
Parameter	Units	70277486013 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch: 327844

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70277486032, 70277486033, 70277486034, 70277486035, 70277486036, 70277486037, 70277486038, 70277486039, 70277486040, 70277486041, 70277486042, 70277486043, 70277486044, 70277486045, 70277486046, 70277486047, 70277486048, 70277486049, 70277486050, 70277486051

METHOD BLANK: 1676946

Matrix: Water

Associated Lab Samples: 70277486032, 70277486033, 70277486034, 70277486035, 70277486036, 70277486037, 70277486038, 70277486039, 70277486040, 70277486041, 70277486042, 70277486043, 70277486044, 70277486045, 70277486046, 70277486047, 70277486048, 70277486049, 70277486050, 70277486051

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 13:33	

LABORATORY CONTROL SAMPLE: 1676947

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	52.5	105	85-115	

MATRIX SPIKE SAMPLE: 1676949

Parameter	Units	70277486032 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.0	50	47.8	86	70-130	

MATRIX SPIKE SAMPLE: 1676951

Parameter	Units	70277486033 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.8	105	70-130	

SAMPLE DUPLICATE: 1676948

Parameter	Units	70277486032 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	5.0	4.9	1	

SAMPLE DUPLICATE: 1676950

Parameter	Units	70277486033 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch:	327845	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70277486052, 70277486053, 70277486054, 70277486055, 70277486056, 70277486057, 70277486058, 70277486059, 70277486060, 70277486061, 70277486062, 70277486063, 70277486064, 70277486065, 70277486066, 70277486067, 70277486068, 70277486069, 70277486070, 70277486071		

METHOD BLANK:	1676952	Matrix:	Water
Associated Lab Samples:	70277486052, 70277486053, 70277486054, 70277486055, 70277486056, 70277486057, 70277486058, 70277486059, 70277486060, 70277486061, 70277486062, 70277486063, 70277486064, 70277486065, 70277486066, 70277486067, 70277486068, 70277486069, 70277486070, 70277486071		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 14:22	

LABORATORY CONTROL SAMPLE:	1676953					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE:	1676955						
Parameter	Units	70277486052 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	46.5	92	70-130	

MATRIX SPIKE SAMPLE:	1676957						
Parameter	Units	70277486053 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.4	94	70-130	

SAMPLE DUPLICATE:	1676954					
Parameter	Units	70277486052 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

SAMPLE DUPLICATE:	1676956					
Parameter	Units	70277486053 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: BRAD + ES 11/10

Pace Project No.: 70277486

QC Batch:	327846	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70277486072, 70277486073, 70277486074, 70277486075, 70277486076, 70277486077, 70277486078, 70277486079, 70277486080, 70277486081, 70277486082, 70277486083, 70277486084, 70277486085, 70277486086, 70277486087, 70277486088, 70277486089, 70277486090, 70277486091		

METHOD BLANK:	1676958	Matrix:	Water
Associated Lab Samples:	70277486072, 70277486073, 70277486074, 70277486075, 70277486076, 70277486077, 70277486078, 70277486079, 70277486080, 70277486081, 70277486082, 70277486083, 70277486084, 70277486085, 70277486086, 70277486087, 70277486088, 70277486089, 70277486090, 70277486091		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/16/23 15:08	

LABORATORY CONTROL SAMPLE:	1676959					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.4	99	85-115	

MATRIX SPIKE SAMPLE:	1676961						
Parameter	Units	70277486072 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	45.4	91	70-130	

MATRIX SPIKE SAMPLE:	1676963						
Parameter	Units	70277486073 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.1	96	70-130	

SAMPLE DUPLICATE:	1676960				
Parameter	Units	70277486072 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1676962				
Parameter	Units	70277486073 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: BRAD + ES 11/10

Pace Project No.: 70277486

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70277486001	B-1	EPA 200.8	327841		
70277486002	B-2	EPA 200.8	327842		
70277486003	B-3	EPA 200.8	327842		
70277486004	B-4	EPA 200.8	327842		
70277486005	B-5	EPA 200.8	327842		
70277486006	B-6	EPA 200.8	327842		
70277486007	B-7	EPA 200.8	327842		
70277486008	B-8	EPA 200.8	327842		
70277486009	B-9	EPA 200.8	327842		
70277486010	B-10	EPA 200.8	327842		
70277486011	B-11	EPA 200.8	327842		
70277486012	B-12	EPA 200.8	327843		
70277486013	B-13	EPA 200.8	327843		
70277486014	B-20	EPA 200.8	327843		
70277486015	B-21	EPA 200.8	327843		
70277486016	B-22	EPA 200.8	327843		
70277486017	B-23	EPA 200.8	327843		
70277486018	B-24	EPA 200.8	327843		
70277486019	B-25	EPA 200.8	327843		
70277486020	B-26	EPA 200.8	327843		
70277486021	B-27	EPA 200.8	327843		
70277486022	B-28	EPA 200.8	327843		
70277486023	B-38	EPA 200.8	327843		
70277486024	B-44	EPA 200.8	327843		
70277486025	B-45	EPA 200.8	327843		
70277486026	B-47	EPA 200.8	327843		
70277486027	B-50	EPA 200.8	327843		
70277486028	B-51	EPA 200.8	327843		
70277486029	B-53	EPA 200.8	327843		
70277486030	B-54	EPA 200.8	327843		
70277486031	B-56	EPA 200.8	327843		
70277486032	B-57	EPA 200.8	327844		
70277486033	B-58	EPA 200.8	327844		
70277486034	B-59	EPA 200.8	327844		
70277486035	B-60	EPA 200.8	327844		
70277486036	B-61	EPA 200.8	327844		
70277486037	B-62	EPA 200.8	327844		
70277486038	B-63	EPA 200.8	327844		
70277486039	B-64	EPA 200.8	327844		
70277486040	B-71	EPA 200.8	327844		
70277486041	B-72	EPA 200.8	327844		
70277486042	B-75	EPA 200.8	327844		
70277486043	B-76	EPA 200.8	327844		
70277486044	B-77	EPA 200.8	327844		
70277486045	B-78	EPA 200.8	327844		
70277486046	B-79	EPA 200.8	327844		
70277486047	B-80	EPA 200.8	327844		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BRAD + ES 11/10

Pace Project No.: 70277486

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70277486048	B-81	EPA 200.8	327844		
70277486049	B-82A	EPA 200.8	327844		
70277486050	B-82B	EPA 200.8	327844		
70277486051	B-83	EPA 200.8	327844		
70277486052	B-84	EPA 200.8	327845		
70277486053	B-91	EPA 200.8	327845		
70277486054	B-92	EPA 200.8	327845		
70277486055	B-94	EPA 200.8	327845		
70277486056	B-95	EPA 200.8	327845		
70277486057	B-97	EPA 200.8	327845		
70277486058	B-98	EPA 200.8	327845		
70277486059	B-100	EPA 200.8	327845		
70277486060	B-101	EPA 200.8	327845		
70277486061	B-103	EPA 200.8	327845		
70277486062	B-104	EPA 200.8	327845		
70277486063	B-106	EPA 200.8	327845		
70277486064	B-107	EPA 200.8	327845		
70277486065	B-109	EPA 200.8	327845		
70277486066	B-110	EPA 200.8	327845		
70277486067	B-112	EPA 200.8	327845		
70277486068	B-113	EPA 200.8	327845		
70277486069	B-115	EPA 200.8	327845		
70277486070	B-116	EPA 200.8	327845		
70277486071	B-118	EPA 200.8	327845		
70277486072	B-119	EPA 200.8	327846		
70277486073	B-121	EPA 200.8	327846		
70277486074	B-122	EPA 200.8	327846		
70277486075	B-123	EPA 200.8	327846		
70277486076	B-124	EPA 200.8	327846		
70277486077	B-125	EPA 200.8	327846		
70277486078	B-126	EPA 200.8	327846		
70277486079	B-127	EPA 200.8	327846		
70277486080	B-128	EPA 200.8	327846		
70277486081	B-129	EPA 200.8	327846		
70277486082	B-130	EPA 200.8	327846		
70277486083	B-131	EPA 200.8	327846		
70277486084	B-132	EPA 200.8	327846		
70277486085	B-133	EPA 200.8	327846		
70277486086	B-134	EPA 200.8	327846		
70277486087	B-135	EPA 200.8	327846		
70277486088	B-136	EPA 200.8	327846		
70277486089	B-137	EPA 200.8	327846		
70277486090	B-138	EPA 200.8	327846		
70277486091	B-148	EPA 200.8	327846		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



Pace* Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: INTERTEKLEAD
Street Address: 17British American Blvd, Latham, NY 12110

Contact/Report To: Kotas, William
Phone #: 518-377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Customer Project #: 08215316
Project Name: Mohonasen CSD/CR-Boces
Brod+ ES.
Site Collection Info/Facility ID (as applicable):

Invoice To:
Invoice E-Mail:
Purchase Order # (if applicable):
Quote #: x

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS
[] Other:

Regulatory Program (DW, RCRA, etc.) as applicable:
Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other:
Date Results Requested: STD

County / State origin of sample(s): New York
DW PWSID # or WW Permit # as applicable:
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (PI), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (Sl), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		Preservation non-conformance identified for sample
			Date	Time	Date	Time		Plastic	Glass	
B-11	DW	6	819	11/10/13				1		
B-12			820	11/10						
B-13			822	11/10						
B-20			825	11/10						
B-21			825	11/10						
B-22			827	11/10						
B-23			827	11/10						
B-24			829	11/10						
B-25			830	11/10						
B-26			832	11/10						

Customer Remarks / Special Conditions / Possible Hazards:
POTABLE LEAD
Additional Instructions from Pace*:
Collected By: RAKH PASEKIBANZ
Printed Name:
Signature:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)
Trading Number:
Date/Time: 11/13/13 15:15
Delivered by: [] In-Person [] Courier
Date/Time: 11/13/13 22:00
Received by/Company: (Signature) PAB
Received by/Company: (Signature)
Received by/Company: (Signature)
Received by/Company: (Signature)

Page 104 of 143
Page: 2 of 10
ENV-FRM-CORQ-0019_v01_062123

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Specify Container Size **
125ml, (5) 100ml, (6) 40ml vial, (7) Encore, (8) TerraCore, (9) Other

Identify Container Preservative Type ***
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested
Proj. Mgr:
Lori Beyer
AcctNum / Client ID:
Table #:
Profile / Template:
X
Prelog / Bottle Ord. ID:
1152843
Sample Comment



Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace* Location Requested (City/State):
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
 Street Address: 17 British American Blvd, Latham, NY 12110

Customer Project #: 08215316
 Project Name: Mohonasen CSD/CR-Boces
 Site Collection Info/Facility ID (as applicable): B-27

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Data Deliverable: Regulatory Program (DW, RCRA, etc.) as applicable: New York

[] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other: X

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other: 5TD
 Field Filtered (If applicable): [] Yes [] No
 Date Results Requested: 5TD
 Analysis: 2008 Lead

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Res. CL2	Number & Type of Containers
			Date	Time		
B-27			832	11/10/11		1
B-28			834	11/10		1
B-38			836	11/10		1
B-44			838	11/10		1
B-45			841	11/10		1
B-47			842	11/10		1
B-50			845	11/10		1
B-51			846	11/10		1
B-53			848	11/10		1
B-54			848	11/10		1

Additional Instructions from Pace*:
 Collected By: RICH RASKIEWICZ
 Printed Name: RICH RASKIEWICZ
 Signature: [Signature]

Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
[Signature]	11/13/11 1515	[Signature]	11/13/11 1515
[Signature]	11/13/11 1600	[Signature]	11/13/11 1600
[Signature]	11/14/11	[Signature]	11/14/11
[Signature]	11/14/11	[Signature]	11/14/11

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Proj. Mgr:
 Lori Beyer
 AcctNum / Client ID:
 Table #:
 Profile / Template:
 Prelog / Bottle Ord. ID:
 1152843

Sample Comment

Preservation non-conformance identified for sample

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp (°C) Corrected Temp (°C)
 Tracking Number:
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other
 Page: 3 of 10
 ENV-FRM-CORQ-0019_v01_082123 ©



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
 Street Address: 17British American Blvd, Latham, NY 12110

Customer Project #: 08215316
 Project Name: Mohonasen CSD/CR-Boxes
 Site Collection Info/Facility ID (as applicable): B-54 ES

Contact/Report To: Kotas, William
 Phone #: 518-377-9841
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:

Invoice To:
 Invoice E-Mail:
 Purchase Order # (if applicable):
 Quote #: x

Specify Container Size **
 Identify Container Preservative Type***
 Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:
 Lori Beyer
 Acct/Num / Client ID:
 Table #:
 Profile / Template:
 Prelog / Bottle Ord. ID:
 1152843

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable:
 Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other
 Date Results Requested: 5/10
 Field Filtered (if applicable): [] Yes [] No
 Analyte:

Time Zone Collected: [] AK [] MT [] PT [] CT [] ET
 Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers Plastic Glass	200 g Lead	Preservation non-conformance identified for sample.
			Date	Time	Date	Time				
B-56			4/51	11/10/13				1	X	
B-57			852	11/10						
B-58			854	11/10						
B-59			858	11/10						
B-60			900	11/10						
B-61			900	11/10						
B-62			904	11/10						
B-63			904	11/10						
B-64			905	11/10						
B-74 B-71			908	11/10						

Additional Instructions from Pace*:
 Collected By: RICH PASZKIEWICZ
 Printed Name:
 Signature:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Tracking Number: 11/13/13 1315
 Date/Time: 11/13/13 1315
 Delivered by: [] In-Person [] Courier
 Date/Time: 11/13/13 20:00
 ([] FedEx [] UPS [] Other)

Page: 4 of 10

Pace* Location Requested (City/State):
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
 Street Address: 17British American Blvd, Latham, NY 12110

Customer Project #: 08215316
 Project Name: Mohonassen CSD/CR-Boces
 Site Collection Info/Facility ID (as applicable): Bocost ES.

Contact/Report To: Kotas, William
 Phone #: 518-377-9841
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:


Invoice To:
 Invoice E-Mail:
 Purchase Order # (if applicable):
 Quote #: X

County / State origin of sample(s): New York

Regulatory Program (DW, RCRA, etc.) as applicable:
 Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other:
 Date Results Requested: STD

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk



LAB USE ONLY - Amix Workorder/Login Label Here

Specify Container Size **
 Identify Container Preservative Type***
 Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) Other
 *** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:
 Lori Beyer
 Acct/Num / Client ID:
 Table #:
 Profile / Template:
 X
 Prelog / Bottle Ord. ID:
 1152843

Lab Use Only
 Sample Comment

Preservation non-performance identified for sample:

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date	Time	Composite End Date	Time	Res. CL2	Number & Type of Containers		200 & Lead
								Plastic	Glass	
B-72			918	11/10/19				1		X
B-75			920	11/10				1		
B-76			921	11/10				1		
B-77			923	11/10				1		
B-78			923	11/10				1		
B-79			925	11/10				1		
B-80			926	11/10				1		
B-81			928	11/10				1		
B-82 A			929	11/10				1		
B-82 B			932	11/10				1		

Additional Instructions from Pace*:
 Collected By: RICH PASEK/ENCE
 Printed Name:
 Signature:

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Tracking Number:
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Date/Time:
 Date/Time:
 Date/Time:
 Date/Time:

Received by/Company (Signature)
 Received by/Company (Signature)
 Received by/Company (Signature)
 Received by/Company (Signature)

Date/Time: 11/13/19 1515
 Date/Time: 11/13 1600
 Date/Time: 11/14/19 0200
 Date/Time: 11/14/19

Relinquished by/Company (Signature)
 Relinquished by/Company (Signature)
 Relinquished by/Company (Signature)
 Relinquished by/Company (Signature)



Scan QR Code for instructions

LAB USE ONLY: Amix Workorder/Login Label Here

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace* Location Requested (City/State):
 Pace Analytical Long Island NY
 575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
 Street Address: 17 British American Blvd, Latham, NY 12110
 Customer Project #: 08215316
 Project Name: Mohonhasen CSD/CH-Boces
 Bradt ES
 Site Collection Info/Facility ID (as applicable):

Contact/Report To: Kotas, William
 Phone #: 518-377-9841
 E-Mail: william.kotas@intertek.com
 Cc E-Mail:
 Invoice To:
 Invoice E-Mail:
 Purchase Order # (if applicable):
 Quote #:

Time Zone Collected: [] AK [] MT [] CT [] ET
 Regulatory Program (DW, RCRA, etc.) as applicable: New York
 Rush (Pre-approval required):
 [] 2 Day [] 3 day [] 5 day [] Other
 Date Results Requested: 5/10
 Field Filtered (if applicable): [] Yes [] No
 Analysis:
 DW PWSID # or WW Permit # as applicable:
 Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosassy (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CLZ	Number & Type of Containers	Plastic	Glass	Sample Comment
			Date	Time					
B933			933	11/10/23		1			
B984			934	11/10		1			
B981			937	11/10		1			
B982			937	11/10		1			
B984			939	11/10		1			
B995			940	11/10		1			
B987			942	11/10		1			
B988			942	11/10		1			
B100			944	11/10		1			
B101			944	11/10		1			

Additional Instructions from Pace*:
 Collected By: RCH PASZKIEWICZ
 Printed Name:
 Signature:
 Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)
 # Coolers:
 Tracking Number:
 Date/Time: 11/13/23 1515
 Date/Time:
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other
 Date/Time: 11/13/23 22:00
 Date/Time:
 Page: 6 of 10



Scan QR Code for instructions

LAB USE ONLY - Amix Workorder/Login Label Here

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
Street Address: 17British American Blvd, Latham, NY 12110

Contact/Report To: Kotas, William
Phone #: 518-377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Customer Project #: 08215316
Project Name: Mohanasen CSD/CR-Boees
B-104 ES,
Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET

Regulatory Program (DW, RCRA, etc.) as applicable:

Rush (Pre-approval required):
[] 2 Day [] 3 day [] 5 day [] Other

Date Results Requested: STD

Field Filtered (if applicable): [] Yes [] No

Analysis:

Country / State origin of sample(s): New York
D/W PWSID # or W/W Permit # as applicable:
Analysis: 200.8 Lead X

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected		Res. CLZ	Composite End Date	Number & Type of Containers		Sample Comment
			Date	Time			Plastic	Glass	
B-103			946	11/10/23			1		
B-104			946	11/10			1		
B-106			948	11/10			1		
B-107			948	11/10			1		
B-109			950	11/10			1		
B-110			951	11/10			1		
B-112			953	11/10			1		
B-113			953	11/10			1		
B-115			955	11/10			1		
B-116			955	11/10			1		

Additional Instructions from Pace: **PACT PA S&K IAW 1E**

Collected By: *[Signature]*
Printed Name: PACT PA S&K IAW 1E
Signature: *[Signature]*

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C): Corrected Temp. (°C):

Tracking Number: *1113603 1015*

Date/Time: *11/13/23 15:15*
Date/Time: *11/15/23 16:00*
Date/Time: *11/19/23*
Date/Time: *11/14/23 7:14*

Received by/Company: *[Signature]*
Received by/Company: *[Signature]*
Received by/Company: *[Signature]*
Received by/Company: *[Signature]*

Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other

Page: *7* of *10*

ENV-FRM-CORQ-0019_v01_082123 ©



Scan QR Code for instructions

LAB USE ONLY - AMIX WorkerLogin Label Here

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

Company Name: INTERTEKLEAD
Street Address: 178 British American Blvd, Latham, NY 12110

Contact/Report To: Kotas, William
Phone #: 518-377-9841
E-Mail: william.kotas@intertek.com
Cc E-Mail:

Invoice To:
Invoice E-Mail:
Purchase Order # (if applicable):
Quote #: x

Customer Project #: 08215316
Project Name: Mohonassen CSD/CR-Boxes
Brdgt ES

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Regulatory Program (DW, RCRA, etc.) as applicable: New York

Rush (Pre-approval required):
[] 2 day [] 3 day [] 5 day [] Other
Date Results Requested: 5/10
Field Filtered (if applicable): [] Yes [] No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Collected		Res. CL2	Number & Type of Containers	Plastic	Glass	Sample Comment
		Comp / Grab	Time					
B129			11/10/19					
B130			11/10					
B131			11/10					
B132			11/10					
B133			11/10					
B134			11/10					
B135			11/10					
B136			11/10					
B137			11/10					
B138			11/10					

Additional Instructions from Pace®:
Collected By: RICH ASKEWANCE
Printed Name:
Signature:

Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
<i>[Signature]</i>	11/13/19 15:15	<i>[Signature]</i>	11/13/19 15:15
<i>[Signature]</i>	11/13/19 16:00	<i>[Signature]</i>	11/13/19 16:00
<i>[Signature]</i>	11/13/19 16:00	<i>[Signature]</i>	11/13/19 16:00
<i>[Signature]</i>	11/14/23 5:16	<i>[Signature]</i>	11/14/23 5:16

Customer Remarks / Special Conditions / Possible Hazards:
POTABLE LEAD

Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)

Tracking Number:
Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other
Page: 9 of 10

WO#: 70277486

Client Name: INTERTEK LEAD Project
 Courier: Fed Ex UPS USPS Client Commercial Pack Other
 Tracking #:

PM: LAB Due Date: 11/30/23
 CLIENT: INTERTEKLEAD

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No
 Packing Material: Bubble Wrap Bubble Bags Ziplo None Other Type of Ice: Wet Blue None
 Thermometer Used: TH1148 Correction Factor: +0.3 Samples on ice, cooling process has begun
 Cooler Temperature (°C): 16.2 Cooler Temperature Corrected (°C): 16.5 Date/Time 5035A kits placed in freezer _____
 Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: WR 11/14/23

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: <u>SL WT OIL OTHER</u>	

Date and Initials of person checking preservation: WR 11/14/23

All containers needing preservation have been pH paper Lot # <u>HC 208072</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide) Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	Sample #
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added:
KI starch test strips Lot #	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Lead Acetate Strips Lot #	17.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: WR 11/14/23

Client Notification/ Resolution: _____ Field Data Required? Y / N
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

* PM (Project Manager) review is documented electronically in LIMS.